


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	-23 HANDLE CHANGED DIM. 1.585 TO 1.39 DUE TO INTERFERENCE PROBLEMS PER DAVE.	9/13/10	WP	DW
1A	CHANGED ALL PART NUMBERS, ADDED MISSING NUMBER IN TOOL NUMBER -09.	12/7/10	RJC	RW
1B	CH'D SPECIFICATION -09 IN BOM PER G.E. CORRECTED DWG. NO. IN TITLEBLOCK FROM RBW6405G007231-3G TO RBW6405G07231-3G.	12/15/10	RJC	
2	CH'D MATERIAL FROM PVC TO DELRIN -03, -05, & -07. CH'D 1.39 TO 1.58 ADDED ENGRAVE NOTE -03. CH'D Ø1.76 TO Ø1.70, 1.580 TO 1.640, 2.18 TO 2.28, .924 TO .917, & Ø1.610 TO Ø1.535 -07. DELETED ENGRAVE NOTE -09. ALL CHANGES PER D.W.	1/21/11	RJC	
3	CH'D -07 O.D. FROM 2.034 & I.D. FROM 1.535, CH'D Ø1.70 TO Ø1.730 +.005-.000 PER S.E.	2/17/11	RJC	RW



T/R SLIDER BUSHING
INSTALL TOOL

UNDER REVIEW

URF18-769 VM 18-07-10

NOTE:

TOOL PART OF KIT RBW6405G07831-3G.


ASSY QTY	ASSY QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	Pg.
	X		-01	1	T/R SLIDER BUSHING INSTALL TOOL			1
	1		-03		HANDLE	DELIN	Ø1-3/4 x 12	2
	1		-05		CLAMP	DELIN	Ø2-1/2 x 1-7/8	3
	2		-07		HALF SHELL	DELIN	Ø2-1/8 x 2-3/8 (makes 2)	4
	2		-09		FINGER	6061	1/4 x 3/4 x 4-1/4	5
ASSY	-01							

RED BARN MACHINE	
TITLE TOOL, T/R SLIDER BUSHING INSTALL TOOL	
DWG NO. RBW6405G07231-3G	REV 3
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES Ø15 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 3-23-10
SHEET 1 of 5	

DRAWN BY: CLOUGH
APPROVED <i>D Weil</i>
HEAT TREAT
FINISH
SPEC
USED ON MODEL
AGUSTA

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	-23 HANDLE CHANGED DIM. 1.585 TO 1.39 DUE TO INTERFERENCE PROBLEMS PER DAVE.	9/13/10	WP	RW
2	CH'D MATERIAL FROM PVC TO DELRIN -03, -05, & -07. CH'D 1.39 TO 1.58 ADDED ENGRAVE NOTE -03. CH'D Ø1.76 TO Ø1.70, 1.58 TO 1.640, 2.18 TO 2.28, .924 TO .917, & Ø1.610 TO Ø1.535 -07. DELETED ENGRAVE NOTE -09. ALL CHANGES PER D.W.	1/21/11	RJC	




UNDER REVIEW

URF18-769 VM 18-07-10

RED BARN MACHINE	
TITLE TOOL, T/R SLIDER BUSHING INSTALL TOOL	
DWG NO. RBW6405G07231-3G-03	REV 3
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	DRAWN BY: CLOUGH
TOLERANCES ON:	APPROVED <i>D. Weil</i>
DECIMALS .XXX ± .005	HEAT TREAT
.XX ± .01	FINISH
.X ± .1	SPEC
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL
	AGUSTA
SCALE NTS	DATE 3-23-10 SHEET 2 of 15

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



⓪5
CLAMP


UNDER REVIEW

URF18-769 VM 18-07-10

RB RED BARN MACHINE	
TITLE TOOL, T/R SLIDER BUSHING INSTALL TOOL	
DWG NO. RBW6405G07231-3G-05	REV 3
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	DRAWN BY: CLOUGH APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AGUSTA
SCALE NTS	DATE 3-23-10
SHEET 3 of 5	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
2	CH'D MATERIAL FROM PVC TO DELRIN -03, -05, & -07. CH'D 1.39 TO 1.58 ADDED ENGRAVE NOTE -03. CH'D Ø1.76 TO Ø1.70, 1.580 TO 1.640, 2.18 TO 2.28, .924 TO .917, & Ø1.610 TO Ø1.535 -07. DELETED ENGRAVE NOTE -09. ALL CHANGES PER D.W.	1/21/11	RJC	
3	CH'D -07 O.D. FROM 2.034 & I.D. FROM 1.535, CH'D Ø1.70 TO Ø1.730 +.005-.000 PER S.E.	2/17/11	RJC	RW



END VIEW OF
HALF SHELL

⑦
HALF SHELL


UNDER REVIEW

URF18-769 VM 18-07-10

RED BARN MACHINE			
TITLE TOOL, T/R SLIDER BUSHING INSTALL TOOL			
DWG NO. RBW6405G07231-3G-07			REV 3
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: CLOUGH	
TOLERANCES ON:		APPROVED <i>D Weil</i>	
DECIMALS		HEAT	
.XXX ± .005 FRACTIONS ± 1/32		TREAT	
.XX ± .01 ANGLES ± 5°		FINISH	
.X ± .1		SPEC	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL	
		AGUSTA	
SCALE NTS	DATE 3-23-10	SHEET 4 of 5	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1A	CHANGED ALL PART NUMBERS, ADDED MISSING NUMBER IN TOOL NUMBER -09.	12/7/10	RJC	RW
2	CH'D MATERIAL FROM PVC TO DELRIN -03, -05, & -07. CH'D 1.39 TO 1.58 ADDED ENGRAVE NOTE -03. CH'D Ø1.76 TO Ø1.70, 1.580 TO 1.640, 2.18 TO 2.28, .924 TO .917, & Ø1.610 TO Ø1.535 -07. DELETED ENGRAVE NOTE -09. ALL CHANGES PER D.W.	1/21/11	RJC	



(-09)
FINGER

UNDER REVIEW

URF18-769 VM 18-07-10

RB RED BARN MACHINE	
TITLE TOOL, T/R SLIDER BUSHING INSTALL TOOL	
DWG NO. RBW6405G07231-3G-09	REV 3
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	DRAWN BY: CLOUGH APPROVED <i>D Weil</i> HEAT TREAT FINISH CLEAR ANODIZE SPEC MIL-A-8625F, TYPE II, CLASS I USED ON MODEL AGUSTA
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SCALE NTS DATE 3-23-10 SHEET 5 of 5